

PageSpeed Insights

Mobile



Поликарбонат для теплиц и павильонов

61 / 100 Speed

Should Fix:

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 6 blocking script resources and 13 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <https://ajax.googleapis.com/ajax/libs/jquery/3.0.0/jquery.min.js>
- <https://cdnjs.cloudflare.com/ajax/libs/tether/1.2.0/js/tether.min.js>
- <https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0-alpha.4/js/bootstrap.min.js>
- <https://belpolik.by/assets/js/scrollPosStyler.js>

Mobile

- <https://belpolik.by/assets/js/core.js>
- <https://belpolik.by/assets/js/jquery-2.1.1.js>

[Optimize CSS Delivery](#) of the following:

- <https://belpolik.by/assets/css/bootstrap.min.css>
- <https://belpolik.by/assets/css/custom.css>
- <https://fonts.googleapis.com/css?family=Alegreya:400,700>
- <https://fonts.googleapis.com/css?family=Source+Sans+Pro:300,400,600,700>
- <https://fonts.googleapis.com/css?family=Poiret+One|Russo+One&display=swap&subset=cyrillic>
- <https://fonts.googleapis.com/css?family=Source+Sans+Pro&display=swap>
- <https://belpolik.by/assets/css/loaders.css>
- <https://belpolik.by/assets/css/loaders.css>
- <https://fonts.googleapis.com/css?family=Open+Sans:400,300,600,700>
- <https://belpolik.by/assets/css/reset.css>
- <https://belpolik.by/assets/css/style.css>
- <https://belpolik.by/assets/components/ajaxform/css/default.css>
- <https://belpolik.by/assets/components/ajaxform/css/lib/jquery.jgrowl.min.css>

Consider Fixing:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 1.3KiB (46% reduction).

- Compressing <https://belpolik.by/assets/css/reset.css> could save 457B (44% reduction).
- Compressing <https://belpolik.by/assets/components/ajaxform/css/default.css> could save

Mobile

379B (56% reduction).

- Compressing <https://belpolik.by/assets/img/filter/cd-icon-filter.svg> could save 328B (41% reduction).
- Compressing <https://belpolik.by/assets/js/core.js> could save 198B (40% reduction).

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <https://www.googletagmanager.com/gtag/js?id=UA-74063546-4> (15 minutes)
- <https://mc.yandex.ru/metrika/advert.gif> (60 minutes)
- <https://mc.yandex.ru/metrika/tag.js> (60 minutes)
- <https://st.top100.ru/top100/top100.js> (60 minutes)
- <https://www.google-analytics.com/analytics.js> (2 hours)
- <https://belpolik.by/assets/img/main-polikarbonat-min.webp> (12 hours)

Reduce server response time

In our test, your server responded in 0.48 seconds.

There are many factors that can slow down your server response time. [Please read our recommendations](#) to learn how you can monitor and measure where your server is spending the most time.

Minify CSS

Mobile

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 3.2KiB (19% reduction).

- Minifying <https://belpolik.by/assets/css/custom.css> could save 1.6KiB (19% reduction) after compression.
- Minifying <https://belpolik.by/assets/css/style.css> could save 730B (25% reduction) after compression.
- Minifying <https://belpolik.by/assets/css/loaders.css> could save 615B (13% reduction) after compression.
- Minifying <https://belpolik.by/assets/css/reset.css> could save 206B (20% reduction).

Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

[Minify HTML](#) for the following resources to reduce their size by 1.7KiB (13% reduction).

- Minifying <https://belpolik.by/> could save 1.7KiB (13% reduction) after compression.

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 7KiB (21% reduction).

- Minifying <https://vk.com/js/api/openapi.js?160> could save 3.7KiB (17% reduction) after compression.
- Minifying <https://belpolik.by/assets/js/main.js> could save 1KiB (47% reduction) after compression.

Mobile

- Minifying <https://belpolik.by/assets/js/scrollPosStyler.js> could save 634B (59% reduction) after compression.
- Minifying https://vk.com/js/api/widgets/al_like.js?2029025800 could save 513B (14% reduction) after compression.
- Minifying <https://vk.com/js/api/xdm.js?1449919642> could save 433B (17% reduction) after compression.
- Minifying <https://belpolik.by/assets/js/dmain.js> could save 275B (30% reduction) after compression.
- Minifying <https://belpolik.by/assets/components/ajaxform/js/default.js> could save 229B (20% reduction) after compression.
- Minifying <https://belpolik.by/assets/js/core.js> could save 227B (46% reduction).

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 26KiB (85% reduction).

- Compressing <https://belpolik.by/assets/img/A1.jpg> could save 17.2KiB (95% reduction).
- Compressing <https://belpolik.by/assets/img/mts.jpg> could save 3.6KiB (81% reduction).
- Compressing <https://belpolik.by/assets/img/convert.jpg> could save 3.6KiB (78% reduction).
- Compressing <https://belpolik.by/assets/img/viber.png> could save 1.4KiB (49% reduction).
- Compressing <https://static.xx.fbcdn.net/rsrc.php/v3/y5/r/OqOE21UvWe3.png> could save 201B (50% reduction).



2 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).

99 / 100 User Experience

Consider Fixing:

Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider [making these tap targets larger](#) to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target `85` is close to 1 other tap targets final.

4 Passed Rules

Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

Configure the viewport

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about [configuring viewports](#).

Mobile

Size content to viewport

The contents of your page fit within the viewport. Learn more about [sizing content to the viewport](#).

Use legible font sizes

The text on your page is legible. Learn more about [using legible font sizes](#).

Desktop



81 / 100 Speed

Should Fix:

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 11 blocking script resources and 13 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <https://ajax.googleapis.com/ajax/libs/jquery/3.0.0/jquery.min.js>

Desktop

- <https://cdnjs.cloudflare.com/ajax/libs/tether/1.2.0/js/tether.min.js>
- <https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0-alpha.4/js/bootstrap.min.js>
- <https://belpolik.by/assets/js/scrollPosStyler.js>
- <https://belpolik.by/assets/js/core.js>
- <https://belpolik.by/assets/js/jquery-2.1.1.js>
- <https://belpolik.by/assets/js/jquery.mixitup.min.js>
- <https://belpolik.by/assets/js/main.js>
- <https://belpolik.by/assets/js/dmain.js>
- <https://belpolik.by/assets/components/ajaxform/js/default.js>
- <https://belpolik.by/assets/components/ajaxform/js/lib/jquery.form.min.js>

[Optimize CSS Delivery](#) of the following:

- <https://belpolik.by/assets/css/bootstrap.min.css>
- <https://belpolik.by/assets/css/custom.css>
- <https://fonts.googleapis.com/css?family=Alegreya:400,700>
- <https://fonts.googleapis.com/css?family=Source+Sans+Pro:300,400,600,700>
- <https://fonts.googleapis.com/css?family=Poiret+One|Russo+One&display=swap&subset=cyrillic>
- <https://fonts.googleapis.com/css?family=Source+Sans+Pro&display=swap>
- <https://belpolik.by/assets/css/loaders.css>
- <https://belpolik.by/assets/css/loaders.css>
- <https://fonts.googleapis.com/css?family=Open+Sans:400,300,600,700>
- <https://belpolik.by/assets/css/reset.css>
- <https://belpolik.by/assets/css/style.css>
- <https://belpolik.by/assets/components/ajaxform/css/default.css>
- <https://belpolik.by/assets/components/ajaxform/css/lib/jquery.jgrowl.min.css>

 Consider Fixing:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 1.3KiB (46% reduction).

- Compressing <https://belpolik.by/assets/css/reset.css> could save 457B (44% reduction).
- Compressing <https://belpolik.by/assets/components/ajaxform/css/default.css> could save 379B (56% reduction).
- Compressing <https://belpolik.by/assets/img/filter/cd-icon-filter.svg> could save 328B (41% reduction).
- Compressing <https://belpolik.by/assets/js/core.js> could save 198B (40% reduction).

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <https://www.googletagmanager.com/gtag/js?id=UA-74063546-4> (15 minutes)
- <https://mc.yandex.ru/metrika/advert.gif> (60 minutes)
- <https://mc.yandex.ru/metrika/tag.js> (60 minutes)
- <https://st.top100.ru/top100/top100.js> (60 minutes)
- <https://www.google-analytics.com/analytics.js> (2 hours)
- <https://belpolik.by/assets/img/main-polikarbonat-min.webp> (12 hours)

Reduce server response time

Desktop

In our test, your server responded in 0.30 seconds.

There are many factors that can slow down your server response time. [Please read our recommendations](#) to learn how you can monitor and measure where your server is spending the most time.

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 3.2KiB (19% reduction).

- Minifying <https://belpolik.by/assets/css/custom.css> could save 1.6KiB (19% reduction) after compression.
- Minifying <https://belpolik.by/assets/css/style.css> could save 730B (25% reduction) after compression.
- Minifying <https://belpolik.by/assets/css/loaders.css> could save 615B (13% reduction) after compression.
- Minifying <https://belpolik.by/assets/css/reset.css> could save 206B (20% reduction).

Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

[Minify HTML](#) for the following resources to reduce their size by 1.7KiB (13% reduction).

- Minifying <https://belpolik.by/> could save 1.7KiB (13% reduction) after compression.

Minify JavaScript

Desktop

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 7KiB (21% reduction).

- Minifying <https://vk.com/js/api/openapi.js?160> could save 3.7KiB (17% reduction) after compression.
- Minifying <https://belpolik.by/assets/js/main.js> could save 1KiB (47% reduction) after compression.
- Minifying <https://belpolik.by/assets/js/scrollPosStyler.js> could save 634B (59% reduction) after compression.
- Minifying https://vk.com/js/api/widgets/al_like.js?2029025800 could save 513B (14% reduction) after compression.
- Minifying <https://vk.com/js/api/xdm.js?1449919642> could save 433B (17% reduction) after compression.
- Minifying <https://belpolik.by/assets/js/dmain.js> could save 275B (30% reduction) after compression.
- Minifying <https://belpolik.by/assets/components/ajaxform/js/default.js> could save 229B (20% reduction) after compression.
- Minifying <https://belpolik.by/assets/js/core.js> could save 227B (46% reduction).

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 26KiB (85% reduction).

- Compressing <https://belpolik.by/assets/img/A1.jpg> could save 17.2KiB (95% reduction).
- Compressing <https://belpolik.by/assets/img/mts.jpg> could save 3.6KiB (81% reduction).
- Compressing <https://belpolik.by/assets/img/convert.jpg> could save 3.6KiB (78% reduction).
- Compressing <https://belpolik.by/assets/img/viber.png> could save 1.4KiB (49% reduction).
- Compressing <https://static.xx.fbcdn.net/rsrc.php/v3/y5/r/OqOE21UvWe3.png> could save 201B (50% reduction).



2 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).